

## **TESTING SUMMARY**

## **TrimLine Dock and Cradle for Panasonic CF33 Tablet**

(AS7.P033.100 | AS7.P033.102 | AS7.P033.110 | AS7.P033.112 | AS7.P033.104)

Test Description	Test Parameters
Vibration: Operational	MIL-STD-810G, Method 514.6, Procedure 1, Category 4, per Figure
Test date: Oct 2018	514.6C-1. Test duration is one hour along three mutually orthogonal axes – not
	simultaneously (6 hours total).
	Unit is unlocked
	Panasonic provided operating conditions
Vibration – Operational	MIL-STD-810G, Method 514.6, Procedure 1, Category 4, per Figure 514.6C-1.
RF Connection	Test duration is 2 hours along three mutually orthogonal axes – not
Test date: Oct 2018	simultaneously (6 hours total).
	Unit is unlocked
	Panasonic provided operating conditions
	Test is performed simultaneously with operational test.
	Test is monitored to record any breaks in RF connectivity during
	vibration.
Vibration: Non-	MIL-STD-810G, Method 514.6, Category 24, per Figure 514.6E-1. Test duration is
Operational	one hour along three mutually orthogonal axes – not simultaneously (3 hours
Test date: Oct 2018	total).
	Unit is unlocked
Mechanical Shock	MIL-STD-810G, Method 516.6, Procedure 1, 3 positive and 3 negative pulses along
Safety: Non-Operational	three mutually orthogonal axes, 18 pulses.
Test date: Oct 2018	• 40G, 11ms half sine
	Unit is unlocked
Cycle Test: Non-	30,000 cycles of the docking connector, latching and locking mechanisms
Operational	
Test date: May 2018	
Shock – Crash Hazard:	SAE J1455, Section 4.11.3.5, per Figure 13
Non-Operational	Unit is unlocked
Test date: June 2018	Unit is tested in front to back and side to side orientations
Electrostatic Discharge:	ISO 10605, Section 8, Table C.2, Category 2 – Direct Air Discharge
Operational	
Test date: July 2018	a FCC Down 4.5. Culturant D
EMC Testing Test date: July 2018	• FCC Part 15, Subpart B
rest date. July 2018	• ICES-003 Issue 6
	• CISPR 32/EN 55032:2012/AC:2013
Floatwicel Cofety Testin -	• EN 50498:2010
Electrical Safety Testing Test date: Aug 2018	• CSA C22.2 No. 60950-1
	• UL 60950-1
Low Temperature:	MIL-STD 810G, Method 502.5, Procedure II
Operational Test date: July 2018	• -10°C Operation, 24-hours
rest date: July 2018	

Low Temperature:	MIL-STD 810G, Method 502.6, Procedure I
Storage	• -40°C Non-Operational, 72 hours
Test date: July 2018	
High Temperature:	MIL-STD 810G, Method 501.5, Procedure II, Table 501.5-II, Induced
Operational	Conditions
Test date: July 2018	• Five 24-hour cycles, temperature varied from 30°C to 63°C to 30°C
High Temperature:	MIL-STD 810G, Method 502.5, Procedure I, Table 501.6-III, Induced
Storage	Conditions
Test date: July 2018	• 85°C Non-Operational, 72 hours
Thermal Shock	MIL-STD 810G, Method 503.5, Procedure I-C
Test date: Oct 2018	• Fifty cycles from 85°C to -40°C to 85°C; Dwell Time of 2 hours at each temp.
Humidity	MIL-STD 810G, Method 507.5, Procedure II, Aggravated, Table 507.5- IX
Test date: July 2018	• Ten 24-hour cycles, temperature varied from 30°C to 60°C to
	30°C at constant 95% relative humidity.
RoHS Compliance	EN 50581:2012 RoHS2 Directive 2011/65/EU
Date: July 2018	



Conforms to CSA C22.2 No. 60950-1-07, UL 60950-1 REGULATORY MODEL: AS7.P033.112