

INSTALLATION INSTRUCTIONS

Product

Revision

Form INST-788

7160-0962, 7160-0978

Rev A

Printing Spec: PS-001

LED LIGHTING KITS


Console Box LED Lighting Kit - 7160-0962

To install:

1. First install the LED light bracket onto the console box top plate. The bracket can be installed by itself using the 1/4-20 hardware included or underneath a motion attachment. Note that the bracket can be flipped over to be installed on either the driver or passenger side of the console box top plate. The bracket can also be shifted forward or backward 1" to provide more or less overhang. Pushing the bracket back farther may interfere with top plate edge trim.

2. Remove the adhesive liner on the LED light clip and attach the clip to the bottom side of the light bracket. See FIG 1.

3. With the console box top plate bolts removed the wires can be routed inside the box through the bend in the top plate. See FIG 1.




Product Mounting Disclaimer

Gamber-Johnson is not liable under any theory of contract or tort law for any loss, damage, personal injury, special, incidental or consequential damages for personal injury or other damage of any nature arising directly or indirectly as a result of the improper installation or use of its products in vehicle or any other application. In order to safely install and use Gamber-Johnson products full consideration of vehicle occupants, vehicle systems (i.e., the location of fuel lines, brakes lines, electrical, drive train or other systems), air-bags and other safety equipment is and recommendations, Gamber-Johnson product instruction sheets, or workmanship standards as endorsed through the Gamber-Johnson Certified Installer Program.

If you need assistance or have questions, call Gamber-Johnson at 1-800-456-6868

4. To wire the light and 3 position switch included, refer to the wiring diagram below. Spade connectors for the switch as well as butt splice connectors are included. Wiring from the light to the switch, ground or power source is not provided.



Console Box Light Wiring Diagram

Workstation LED Lighting Kit - 7160-0978

To install:

1. Remove the adhesive liner on the LED light clip and attach the light inside the workstation on the angled flange near the front. See FIG 2.

2. The included switch can be placed in either rectangular knockout just above the light's location.

NOTE: Run the wires through the knockout to the switch and test the circuit before snapping the switch into place.

3. To wire the light and the switch included refer to the iring diagram on the following page. Spade connectors for the switch as well as butt splice connectors are included. Wiring from the light to the switch, ground or power source is not provided. The mounting flange has holes for cable ties to assist in cable management. See FIG 2.





FIG 2 - Workstation Light Mounting



Workstation Light Wiring Diagram