



INSTALLATION INSTRUCTIONS

Product

Geatc B360 Laptop Docking Station

Form

INST-971

Item Number: 7160-1431-00 Non-RF

Item Number: 7160-1431-03 Tri-RF

Scan the QR code for:

- Installation Instruction
- Product Features
- Cable Routing
- Docking and Undocking Instructions
- Regulatory Certification Information





INSTALLATION INSTRUCTIONS

<u>Product</u>	<u>Revision</u>	<u>Form</u>
7160-1431 GETAC B360 LAPTOP DOCKING STATION	Rev. E	INST-971
		Printing Spec: PS-001

This instruction sheet is for the Getac B360 Laptop Docking Station only. For instructions on features, set-up, and operation of the computer, please refer to the manual provided by Getac with the computer.

This docking station is designed to be used with a variety of Gamber-Johnson mounting systems. Installation instructions for other Gamber-Johnson products are provided with each individual product.

This instruction sheet is for the following products:

- Item No. 7160-1431-00** Non-RF (External Power Supply sold separately)
- Item No. 7160-1431-03** Tri-RF (External Power Supply sold separately)

Getac recommends using the following Power Adapters to power the docking station. They can be ordered from Gamber-Johnson separately.

- 7300-0471** - Auto (12-32 Vdc input) - Available with the docking station as KIT **7170-0789**
- 7300-0413** - Isolated (12-32 Vdc input)
- 7300-0412** - Isolated (20-60 Vdc input)
- 7300-0416** - Isolated (72-110 Vdc input)



Product Mounting Disclaimer
Gamber-Johnson is not liable under any theory of contract or tort law for any loss, damage, personal injury, special, incidental or consequential damages for personal injury or other damage of any nature arising directly or indirectly as a result of the improper installation or use of its products in vehicle or any other application. In order to safely install and use Gamber-Johnson products full consideration of vehicle occupants, vehicle systems (i.e., the location of fuel lines, brakes lines, electrical, drive train or other systems), air-bags and other safety equipment is required. Gamber-Johnson specifically disclaims any responsibility for the improper use or installation of its products not consistent with the original vehicle manufactures specifications and recommendations, Gamber-Johnson product instruction sheets, or workmanship standards as endorsed through the Gamber-Johnson Certified Installer Program.

© Copyright 2020 Gamber-Johnson, LLC

If you need assistance or have questions, call Gamber-Johnson at 1-800-456-6868

PRE-INSTALLATION RECOMMENDATIONS

Conduct a "Bench Test"

Gamber-Johnson strongly advises a "bench test" be conducted to verify all electronic and software issues are resolved prior to installation:

1. Make sure the computer is operational by itself.
2. Insert computer into the docking station and verify that the computer is operating in the dock.
3. Interconnect entire assembly and verify start-up of all components, including other equipment (printers, modems, scanners, etc.)

Gamber-Johnson recommends positioning of all mounts and equipment in the vehicle prior to the actual install to verify that mounting locations are safe and practical.

IMPORTANT SAFETY INFORMATION FOR INSTALLERS

Safety is dependent on the proper installation and servicing of this docking station. It is important to read and follow all instructions before installing this product.

To properly install a Gamber-Johnson docking station you must have a good understanding of automotive electrical procedures and systems, along with proficiency in the installation and service of aftermarket vehicle equipment.

There are no adjustments required at any time of the electrical components within the docking station. **Opening the docking station will void the product warranty.**

During Installation:

DO NOT connect this docking station to the vehicle battery until:

1. All other electrical connections are made
2. Mounting of all components is complete
3. Verification that no shorts exist in the entire system

DO NOT install equipment or route wires or cords in the deployment path of any air bag.

When drilling into the vehicle, **DO** make sure that both sides of the surface are clear of anything that could be damaged.

CAUTION: *If wiring is shorted to the frame, high current conductors can cause hazardous sparks resulting in electrical fires or flying molten metal.*



After installation:

Test the docking station to ensure that it is working properly.


File these instructions in a safe place and refer to them when performing maintenance or re-installing.

WARNING: *Failure to follow all safety precautions and instructions may result in property damage, serious injury, or death.*

FEATURE IDENTIFICATION




PORT IDENTIFICATION



CABLE MANAGEMENT FEATURES AND PROPER INSTALLATION

- 1.) Use Zip ties (provided) to secure each port cable to the specific strain relief feature on the dock
- 2.) Use Zip ties (provided) to secure bundled cables for improved routing - OPTIONAL

Cable Bundle Tie Slots



VGA

HDMI

USB (2)

USB (2)

Ethernet

Ethernet

Power



Channels for Power
and RF Cables


DOCKING AND UNDOCKING THE COMPUTER

OPERATION - DOCKING

1. Insert the front of the laptop into the front hooks of the dock. The walls on the dock will help guide the computer into place.

2. Rotate the back of the laptop onto the dock and push down in the center or both top corners, overcoming the resistance until an audible click is heard. The blue latch will spring down when the laptop is fully docked. This can be done one or two handed.

3. Optional - With the dock in the "Latched" position, turn the lock to the "LOCKED" position (CW). This will lock the laptop in the dock.



OPERATION - UNDOCKING

1. Turn the lock to the "UNLOCKED" position (CCW).

2. With your hand at the front left corner of the dock, pull up on the blue Release Button until the springs release the laptop.

3. Remove the laptop by rotating it up and out of the dock. This can be done one or two handed.



Screen Support Installation

Screen supports are recommended on all laptop dock/cradles in high-vibration environments.

- (1) screen support is included with each Getac B360 assembly, another may be purchased from www.GamberJohnson.com. Part Number: 7110-1332



Screen Support Mounting Locations

Use supplied #6-32 screws to attach included screen support to the left or right mounting location, do not over-torque screws.

Reccomended torque is 8-11 in/lbs.



Regulatory Certification Information

Regulatory Model #: 7160-1431


GJ Model #'s & Description:

7160-1431-00 Dock-Getac B360 Laptop-No RF
7160-1431-03 Dock-Getac B360 Laptop-Tri RF

Certifications:

- EN 55032: 2012/AC: 2013 Class A
- EN 50498: 2010
- E-Mark

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions. (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



Gamber-Johnson LLC, 3001 Borham Ave.,
Stevens Point, WI, 54481, USA, 715-344-3482