

DEFINING RUGGED

EXCEPTIONAL ENGINEERING | ROCK SOLID | EXTENSIVE TESTING

MNSTAR POWER DISTRIBUTION HARNESSSES: POWER PREP SERIES

Power Prep Harnesses provide Battery Hot, Ignition, Ground and in some configurations Timed fused outputs. These products feature battery direct power and grounds to provide main power distribution for aftermarket equipment installations. Power Prep Harnesses can be broken down into three basic groups:

- **Full Vehicle Power:** The output wires are either long enough to reach throughout the vehicle or are braided to pre-determined breakout locations throughout the vehicle
- **Power To the Center Console:** A main power feed and fuse panel at the battery with outputs circuits that reach to the center console
- **Power In the Center Console:** A main power feed from the battery to a console mounted fuse panel

INTEGRATOR UTILITY HARNESS POWER PREP: POWER DISTRIBUTION TO THE CENTER CONSOLE

Item No.	Description	Placement	Circuits to Console	Weight
7300-0005	Integrator Utility Harness, 4 Circuits to Console (EDH40-0), requires Relay or Timer (sold separately)	Underhood Fuse Panel, Power Distribution Center with wires extending to the console	1 - Hot line (30A) 3 - Ignition lines (15A each)	3.0 lbs.
7300-0007	Integrator Utility Harness, 4 Circuits to Console with DR40-VM Voltage Sensing Programmable Timer (EDH40-VM)	Underhood Fuse Panel, Power Distribution Center with wires extending to the console	1 - Hot line (30A) 1 - Ignition lines (15A) 2 - Timed Lines (15A each)	3.0 lbs.
7300-0008	Integrator Utility Harness, 4 Circuits to Console, with Lind Power Connector, Requires Relay or Timer (EDH40-L)	Underhood Fuse Panel, Power Distribution Center with wires extending to the console	1 - Hot line (30A) 2 - Ignition lines (15A) 1 - Line with Lind Barrel Connector (15 A)	3.0 lbs.
7300-0010	Integrator Utility Harness, 4 Circuits to Console, with Lind Power Connector, DR40-VM Voltage Sensing Timer (EDH40-LVM)	Underhood Fuse Panel, Power Distribution Center with wires extending to the console	1 - Hot line (30A) 1 - Ignition lines (15A) 1 - Timed Lines (15A) 1 - Line with Lind Barrel Connector (15 A)	3.0 lbs.
7300-0011	Integrator Utility Harness, 11 Circuits to Console with Ignition Relay (EDH45)	Underhood Fuse Panel, 125A Master Fuse, Master Cutoff switch Power Distribution Center, wires extend to the console	3 - Hot lines (30A, 20A, 20A) 8 - Ignition lines (10A each)	6.0 lbs.
7300-0013	Integrator Utility Harness, 11 Circuits to Console with DR40-VM Voltage Sensing Timer (EDH45-VM)	Underhood Fuse Panel, 125A Master Fuse, Master Cutoff switch Power Distribution Center, wires extend to the console	3 - Hot lines (30A, 20A, 20A) 4 - Ignition lines (10A each) 4 - Timed Lines (10A each)	6.0 lbs.

Features on back

Manufactured by:



Very Well Connected™

3001 Borham Ave. | Stevens Point, WI 54481, USA
 Phone: 715.344.3482 | Toll-free: 800.487.9220 | Fax: 715.344.5209
 Email: gamberj@gamberjohnson.com | Website: www.gamberjohnson.com

Follow us on:



This document, including images, may not be reproduced partly or fully without the expressed written consent of Gamber-Johnson's Marketing Department.
 © Copyright 2015 Gamber-Johnson LLC

DEFINING RUGGED


EXCEPTIONAL ENGINEERING | ROCK SOLID | EXTENSIVE TESTING

INTEGRATOR UTILITY HARNESS POWER PREP: POWER DISTRIBUTION TO THE CENTER CONSOLE


Features:

- Power Prep Harness designed for Commercial Trucks, Pickups and Code Enforcement vehicles
- Battery, Ignition and Timed Circuits to support the aftermarket equipment installed in a vehicle
- Fuse panel mounts near the battery and extends the power circuits to the center console
- Provides a parallel electrical system that is isolated from the vehicle electronics and improving serviceability of both the vehicle and aftermarket equipment
- Direct plug in of DR series timers eliminating need for additional timers to be installed
- Color-Coded and Labeled Wiring
- Detailed Color Schematics
- Direct to Battery Grounds
- Fabricated Wire Harness of High Quality TXL Copper Exceeds SAE Standard J-1128
- Heat Rated: Tested for Maximum Loads at -40°F to 221°F
- Fire Retardant Protective Loom
- Warranty terms/policy by MNSTAR:
 - No warranty for Fuses and Solenoids
 - 1 year limited warranty for Relays, Timers, Electronic Control Modules and Circuit Boards
 - 3 year limited warranty for Wire Harnesses, Fuse Panels and Power Distribution Centers

Manufactured by:



Shown: 7300-0007



Shown: 7300-0013



Very Well Connected™

3001 Borham Ave. | Stevens Point, WI 54481, USA
Phone: 715.344.3482 | Toll-free: 800.487.9220 | Fax: 715.344.5209
Email: gamberj@gamberjohnson.com | Website: www.gamberjohnson.com

Follow us on:



This document, including images, may not be reproduced partly or fully without the expressed written consent of Gamber-Johnson's Marketing Department.
© Copyright 2015 Gamber-Johnson LLC