



COMPATIBILITY CHART

DELL DOCKING STATIONS

**RUGGED.
RELIABLE.
RESPONSIVE.**



DELL LATITUDE 7030 RUGGED EXTREME TABLET

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS- THROUGH	POWER ADAPTER	PORT REPLICATION
AC812027	7160-1882-00	Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Lite Port	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release	No	No	- USB-A 9-Pin - (2) Fully powered (1.5Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812028	7160-1882-10	Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Full Port	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - HDMI to connect a second display	No	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA) - HDMI 1.1 (1080p)
AC812029	7160-1883-00	Dell Latitude 7030 Rugged Extreme Tablet Vehicle Cradle (No electronics)	- Secure your computer - No connection to peripherals - Low profile, front-facing lock/release	No	No	No Port Replication
AC812030	7160-1884-00	Dell Latitude 7030 Rugged Extreme Tablet and Keyboard Vehicle Cradle (No electronics)	- Secure your computer and keyboard - No connection to peripherals - Low profile, front-facing lock/release	No	No	No Port Replication
AC812039	7170-1053-00	KIT: Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Lite Port with LIND Auto Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - Includes power adapter	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812038	7170-1054-00	KIT: Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Lite Port with LIND 12-32V Isolated Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - Includes power adapter	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812037	7170-1054-10	KIT: Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Lite Port with LIND 20-60V Isolated Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - Includes power adapter	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc



RUGGED. RELIABLE. RESPONSIVE.



DELL LATITUDE 7030 RUGGED EXTREME TABLET CONT.

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS- THROUGH	POWER ADAPTER	PORT REPLICATION
AC812036	7170-1054-20	KIT: Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Lite Port with LIND 72-110V Isolated Power Adapter	• "Secure your computer • Port replication to connect peripherals • Low profile, front-facing lock/release • Includes power adapter"	No	Yes - External	• USB-A 9-Pin - (2) Fully powered (1.5 Amps each) • USB-C (1) Fully powered (1.5 Amps) • RJ45 Ethernet (1) • RS232 Serial (1) • Power Input: 19.5 Vdc
AC812033	7170-1053-10	KIT: Dell Latitude 7030 Rugged Extreme Tablet Vehicle Docking station, Full Port with LIND Auto Power Adapter	• Secure your computer • Port replication to connect peripherals • Low profile, front-facing lock/release • HDMI to connect a second display • Includes power adapter	No	Yes - External	• USB-A 9-Pin - (2) Fully powered (1.5 Amps each) • USB-C (1) Fully powered (1.5 Amps) • RJ45 Ethernet (1) • RS232 Serial (1) • Power Input: 19.5 Vdc • HDMI 1.1 (1080p)
AC812034	7170-1055-00	KIT: Dell Latitude 7030 Rugged Extreme Tablet Vehicle Cradle (No electronics) with LIND 100W USB-C Auto Power Adapter	• Secure your computer • No connection to peripherals • Low profile, front-facing lock/release • Includes power adapter	No	Yes - External	No Port Replication
AC812032	7170-1056-00	KIT: Dell Latitude 7030 Rugged Extreme Tablet and Keyboard Vehicle Cradle (No electronics) with LIND 100W USB-C Auto Power Adapter	• Secure your computer and keyboard • No connection to peripherals • Low profile, front-facing lock/release • Includes power adapter	No	Yes - External	No Port Replication



RUGGED. RELIABLE. RESPONSIVE.



DELL LATITUDE 12 RUGGED TABLET 7230

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
AC326388	7160-1772-00	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Lite Port - NO RF	- Secure your computer - Port replication to connect peripheral - Low profile, front-facing lock/release	No	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC364203	7160-1772-04	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Lite Port - QUAD RF	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - External antenna connections	Quad RF (SMA)	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA)
	7160-1772-10	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Full Port - NO RF	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - HDMI to connect a second display	No	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - HDMI 1.1 (1080p)
	7160-1772-14	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Full Port - QUAD RF	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - External antenna connections - HDMI to connect a second display	Quad RF (SMA)	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA) - HDMI 1.1 (1080p)
AC364224	7160-1773-00	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Cradle (No electronics) - NO RF	- Secure your computer - No connection to peripherals - Low profile, front-facing lock/release	No	No	No port replication
AC326389	7160-1773-04	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Cradle (No electronics) - QUAD RF	- Secure your computer - No connection to peripherals - Low profile, front-facing lock/release - External antenna connections	Quad RF (SMA)	No	Antenna: Quad RF (SMA)
AC364266	7170-0991-00	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Lite Port - NO RF with Lind Auto Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - Includes power adapter	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc



RUGGED. RELIABLE. RESPONSIVE.



DELL LATITUDE 12 RUGGED TABLET 7230 CONT.

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
AC364287	7170-0991-04	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Lite Port - QUAD RF with Lind Auto Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - External antenna connections - Includes power adapter	Quad RF (SMA)	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA)
	7170-0991-10	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Full Port - NO RF with Lind Auto Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - HDMI to connect a second display - Includes power adapter	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - HDMI 1.1 (1080p)
	7170-0991-14	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Docking Station, Full Port - QUAD RF with Lind Auto Power Adapter	- Secure your computer - Port replication to connect peripherals - Low profile, front-facing lock/release - External antenna connections - HDMI to connect a second display - Includes power adapter	Quad RF (SMA)	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA) - HDMI 1.1 (1080p)
AC3643080	7170-0992-00	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Cradle (No electronics) - NO RF with Lind Auto Power Adapter	- Secure your computer - No connection to peripherals - Low profile, front-facing lock/release - Includes power adapter	No	Yes - External	No port replication
AC364329	7170-0992-04	Dell Latitude 7230 Rugged Extreme Tablet Vehicle Cradle (No electronics) - QUAD RF with Lind Auto Power Adapter	- Secure your computer - No connection to peripherals - Low profile, front-facing lock/release - External antenna connections - Includes power adapter	Quad RF (SMA)	Yes - External	Antenna: Quad RF (SMA)
AC364245	7160-1811	Dell Latitude 7230 Rugged Extreme Tablet Keyboard Vehicle Cradle (No electronics) - NO RF	- Secure your computer and keyboard - No connection to peripherals - Low profile, front-facing lock/release	No	No	No port replication
AC364350	7170-1002	Dell Latitude 7230 Rugged Extreme Tablet Keyboard Vehicle Cradle (No electronics) - NO RF with Lind Auto Power Adapter	- Secure your computer and keyboard - Not connection to peripherals - Low profile, front-facing lock/release - Includes power adapter	No	Yes - External	No port replication



RUGGED. RELIABLE. RESPONSIVE.



DELL LATITUDE RUGGED & RUGGED EXTREME NOTEBOOKS

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS- THROUGH	POWER ADAPTER	PORT REPLICATION
A9777898	7160-0840-00	Dell® Latitude Rugged Tablet Docking Station -No RF	• Port replication • One-hand docking/release	No	No	• 1 x RJ45 Ethernet • 2 x USB 3.0/10 • 1 x USB 2.0/10 • 1 x DISPLAY • 1 x VGA • 2 x RS-232 Serial • 1 x AUX/MIC (front-facing) • 1 x Power Input
A9777900	7160-0840-02	Dell® Latitude Rugged Tablet Docking Station - Dual RF	• Port replication • One-hand docking/release • External antenna connections.	Dual-RF TNC	No	• 1 x RJ45 Ethernet • 2 x USB 3.0/10 • 1 x USB 2.0/10 • 1 x DISPLAY • 1 x VGA • 2 x RS-232 Serial • 1 x AUX/MIC (front-facing) • 1 x Power Input
A9780510	7160-0881-00	Dell® Latitude Rugged Tablet Docking Station-No RF	• Less expensive alternative to a docking station • No port replication	No	No	No port replication
A9777899	7170-0552-00	KIT: Dell® Latitude Rugged Tablet Docking Station-No RF with LIND 12-16V Auto Power Supply	• Port replication • One-hand docking/release • External antenna connections • Power adapter included	No	Yes - External	• 1 x RJ45 Ethernet • 2 x USB 3.0/10 • 1 x USB 2.0/10 • 1 x DISPLAY • 1 x VGA • 2 x RS-232 Serial • 1 x AUX/MIC (front-facing) • 1 x Power Input
A9666281	7170-0552-02	KIT: Dell® Latitude Rugged Tablet Docking Station-Dual RF with LIND 12-16V Auto Power Supply	• Port replication • One-hand docking/release • External power adapter	Dual-RF TNC	Yes - External	• 1 x RJ45 Ethernet • 2 x USB 3.0/10 • 1 x USB 2.0/10 • 1 x DISPLAY • 1 x VGA • 2 x RS-232 Serial • 1 x AUX/MIC (front-facing) • 1 x Power Input



RUGGED. RELIABLE. RESPONSIVE.



DELL LATITUDE:

Compatibility: 12 Rugged Extreme 7204/7214, 14 Rugged Extreme 7404/7414/7424, 14 Rugged 5404/5420/5424/5414, 14 Rugged 5430, 14 Rugged Ext 7330, 13 Pro Rugged RA13250, 14 Pro Rugged RB14250

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
A9780512	7160-0883-00	Dell® Latitude Rugged Notebook Cradle - NO RF	- No port replication - Low profile, front-facing lock/release	No	No	No port replication
A9795024	7160-0883-03	Dell® Latitude Rugged Notebook Cradle - TRI RF	- No port replication - Low profile, front-facing lock/release - External antenna connections	TRI-RF TNC	No	No port replication
AD161695	7160-1982-00	Dell Latitude Rugged Laptop Docking Station, Lite Port Replication, NO RF	- Lite port replication (no HDMI) - Low profile, front-facing lock/release	No		(1) Ethernet, RJ45 (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC
AD161696	7160-1982-03	Dell Latitude Rugged Laptop Docking Station, Lite Port Replication, TRI RF	- Lite port replication (no HDMI) - Low profile, front-facing lock/release - External antenna connections	TRI-RF TNC		(1) Ethernet, RJ45 (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC
AD161697	7160-1982-10	Dell Latitude Rugged Laptop Docking Station, Full Port Replication, NO RF	- Full port replication - Low profile, front-facing lock/release	No		(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC
AD154289	7160-1982-13	Dell Latitude Rugged Laptop Docking Station, Full Port Replication, TRI RF	- Full port replication - Low profile, front-facing lock/release - External antenna connections	TRI-RF TNC		(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC
AD157107	7170-1090-13	KIT: Dell Laptop Dock, Full Port Replication, TRI RF + Power Adapter	- Full port replication - Low profile, front-facing lock/release - External antenna connections - Includes power adapter	TRI-RF TNC	Yes	(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC
AD156459	7170-1090-10	KIT: Dell Laptop Dock, Full Port Replication, NO RF + Power Adapter	- Full port replication - Low profile, front-facing lock/release - Includes power adapter	No	Yes	(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC



DELL LATITUDE CONT.

Compatability: 12 Rugged Extreme 7204/7214, 14 Rugged Extreme 7404/7414/7424, 14 Rugged 5404/5420/5424/5414, 14 Rugged 5430, 14 Rugged Ext 7330, 13 Pro Rugged RA13250, 14 Pro Rugged RB14250

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
AD161698	7170-1090-03	KIT: Dell Laptop Dock, Lite Port Replication, TRI RF + Power Adapter	• Lite port replication (no HDMI) • Low profile, front-facing lock/release • External antenna connections • Includes power adapter	TRI-RF TNC	Yes	(1) Ethernet, RJ45 (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC
AD161699	7170-1090-00	KIT: Dell Laptop Dock, Lite Port Replication, NO RF + Power Adapter	• Lite port replication (no HDMI) • Low profile, front-facing lock/release • Includes power adapter	No	Yes	(1) Ethernet, RJ45 (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 Power input, 19VDC