


MATERIAL HANDLING



RUGGED. RELIABLE. RESPONSIVE.

E SECURE YOUR ASSETS WITH A NAME YOU CAN TRUST

Gamber-Johnson is the global leader in equipment mounting products — driven by our mission of "supporting technology to help save the world." We manufacture components and systems for every mounting solution, all meticulously designed to be rugged, reliable, and responsive. Gamber-Johnson is a trusted name in the industry; long known as the go-to partner for major rugged computer OEMs. As a pioneer in design innovation receiving numerous awards and accolades as an industry leader - Gamber-Johnson has been the preferred choice for decades.

Harness the power of Gamber-Johnson's laser-like focus on innovation with the perfect mounting solution for your lift vehicle.



MOUNTING SOLUTIONS FOR EVERY LIFT VEHICLE

Secure your tablets and equipment with our superior mounting solutions, for ultimate peace of mind. We offer a wide range of turnkey solutions that are configurable for your material handling vehicle's specific make and model. Our ergonomic solutions enhance driver efficiency, reduce installation time, speed up operations, and improve overall workplace safety. To narrow down the best solution for your fleet begin by asking yourself these five important questions:

1. WHAT DEVICE IS BEING MOUNTED?

Identifying your device ensures that you get the correct dock or cradle to support your specific need and desired connectivity.

2. WHAT MODEL VEHICLE IS THE DEVICE BEING MOUNTED TO?

Knowing the make and model of your vehicle will allow us to recommend the best location and corresponding product needed to mount your device.

3. WHAT IS THE CAB TYPE?


Determine whether is it a open or enclosed cab.

4. WHAT IS THE VEHICLE'S VOLTAGE?

By knowing the voltage or power requirement of your lift vehicle we can ensure that you get the appropriate power supply for your specific need.

5. WHAT ACCESSORIES ARE BEING MOUNTED?

Understanding your accessory needs will allow us to build the best material handling solution for your team.





CRADLES AND DOCKING STATIONS

Secure your tablets and other devices with a Gamber-Johnson cradle or docking station. Cradles keep your device safe and secure without port access, while docking stations replicate the device's ports for easy and secure access. Either way - we have a solution that will meet your needs in the most secure, ergonomic configuration possible.



ITEM NUMBERS 8":

7160-1801-00 SLIM Dual USB Docking Station (Bare Wire) 7160-1801-04 SLIM Dual USB Docking Station (2.5mm DC Power lack)

7160-1801-20 SLIM Docking Station (Lite Full Board Replication) 7160-1801-90 SLIM Cradle (no electronics)

ITEM NUMBERS 10":

7160-1807-00 SLIM Dual USB Docking Station (Bare Wire) 7160-1807-04 SLIM Dual USB Docking Station (2.5mm DC Power Jack)

7160-1807-20 SLIM Docking Station (Lite Full Board Replication) 7160-1807-90 SLIM Cradle (no electronics)

FEATURES:

- Designed for the Zebra ET4X 8" and 10 " rugged tablet Zebra's rugged boot is required in order to work with
- docking station · Dual powered USB ports; 1.5A for each port for
- connecting peripheral devices 10-40V power input range to support a wide range of mobile applications
- · All features of tablet are functional while the tablet is safelv docked
- · Patented slam latch for simple, one-handed docking and release operation:Insert bottom of Zebra tablet into the docking station
- and push top of the tablet in until the lock engages.
- Push latch button up with your thumb then remove the tablet from the docking station.
- · POGO pin connector and internal power supply
- provides power to charge the Zebra tablet while docked Barrel Key lock for theft deterrence
- VESA 75mm mounting pattern; compatible with Zirkona mounting products Bare Wire, 2.5mm DC Power Jack, and Lite Port
- Replication options
- Can be mounted on a flat vertical surface
- Composite design for reduced overall weight

CERTIFICATES & TESTING:

- MIL-STD 810G Shock/Vibration Tested, Environmental Testing: Humidity, High/low temperature, (storage/ operational)
- SAE J1455 Crash Tested

4 Gamber-Johnson | Material Handling Solutions for Zebra

- · Cycle Tested: 30K cycles, docking connector, latching & locking mechanisms
- RoHS, FCC, CE Certifications



ITEM NUMBERS 8":

- 7160-1506-90 Non-Powered Cradle 7160-1506-10 Powered Cradle, No Port Replication
- 7160-1506-00 Dual USB Docking Station
- 7160-1506-20 Docking Station, Full Port Replication with RS232

ITEM NUMBERS 10":

- 7160-1576-90 Non-Powered Cradle
- 7160-1576-10 Powered Cradle, No Port Replication
- 7160-1576-00 Dual USB Docking Station 7160-1576-20 Docking Station, Full Port Replication with
- RS232

FEATURES:

- Designed for the Zebra ET51/56 rugged tablet computer with rugged frame
- This dock does not accommodate ET51/56 accessories
- Integrated front camera on the ET5X is accessible when the tablet is docked
- Compatible with Windows or Android operating systems
- Access to all control buttons and ports while the tablet is safelv docked
- POGO pin connector provides power to charge the Zebra tablet while docked (Available on docking stations and charging cradle) Guide pins align the tablet so it is properly positioned
- while docking
- Keyed lock for security and theft deterrence Easy one-hand docking & release operation VESA 75 mm and AMPS mounting patterns:
- compatible with Gamber-Johnson's Zirkona mounting
- products · Composite/aluminum design for reduced weight and
- extended durability 3-Year Limited Warranty

CERTIFICATES & TESTING:

- Zebra Certified
 MIL-STD 810G Shock/Vibration Tested MIL-STD 810G Environmental Testing: Humidity,
- High/Low Temperature, (Storage/Operational)
- SAE J1455 Crash Tested
 Cycle Tested: 30K Cycles, Docking Connector
- Latching & Locking Mechanisms RoHS_ECC_CE Certifications



ITEM NUMBERS 8" TABLET SIZE:

7160-1886-00: Zebra ET6X 10" SLIM Cradle 7160-1885-00: Zebra ET6X 10" SLIM Docking Station, No RF

FEATURES:

ET50/55 51/56

& CRADLES

ITEM NUMBERS 8":

ITEM NUMBERS 10":

RS232

RS232

FEATURES:

7160-0819-00 Non-Powered Cradle

7160-0818-00 Non-Powered Cradle

7160-0819-04 Powered Cradle, No Port Replication

7160-0818-04 Powered Cradle, No Port Replication

7160-0860-00 Docking Station, Full Port Replication with

Designed for the Zebra ET5X Series Enterprise

Accommodates the expansion back of the ET50/51

Integrated front camera on the FT5X is accessible

· Compatible with either Windows or Android operation

Dual latch/locks provide tablet stability when docked

Guide pins align the tablet so it is properly positioned

Steel and composite design, rugged construction for long-term durability

Cycle Tested - Locking and Docking Mechanism

55/56 to easily add accessories (scanner/ hand strap,

tablets with the "rugged frame" option

optional battery bay, and stylus)

systems on the ET50/51 55/56

while docking VESA 75mm mounting pattern

CERTIFICATES & TESTING:

MIL-STD 810G Shock/Vibration

3-Year Limited Warranty

SAE J1455 Crash Test

· Zebra Certified

• ROHS, FCC, CE

when the tablet is docked

7160-0861-00 Docking Station, Full Port Replication with

DOCKING STATIONS

- Designed for the Zebra ET60 and ET65 rugged tablet POGO pin connector provides power to charge the
- Zebra tablet while docked
- Patented Slam Latch for one-handed docking and release for efficient use all day long
 Accommodates the Zebra ET6X attachable keyboard
- All features on tablet are accessible while the tablet is
- safely docked Simple, one-handed docking and release operation
- Barrel Key lock for theft deterrence Composite design for reduced overall weight
- Molded in cable restraint features for streamlined
- cable management VESA 75mm mounting pattern; compatible with
- Zirkona mounting products

 Can be mounted on a flat vertical surface

CERTIFICATES & TESTING:

- MIL-STD 810G Shock/Vibration Tested
- MIL-STD 810G Environmental Testing: Humidity,
- High/low temperature, (storage/operational)
- SAE J1455 Crash Tested
- · Cycle Tested: 30K cycles, docking connector, latching & locking mechanisms
- · EN62368 Safety Tested
- RoHS, FCC, CE, RCM Certifications

• MIL-STD-810H Operational and Non-Operational Vibration/Shock Testing · Environmental: Humidity, Thermal Shock, High/Low Temperature - Storage/Operational · Cycle Test: 30,000 cycles, Latch, Lock, and Docking

Connector

ITEM NUMBERS:

Station (no RF)

Station (Tri RF)

FEATURES:

station

tablet is docked

customization.

motion attachments

- Shock Crash Hazard: Test SAE J1455

ET4X 10" 2-IN-1 ATTACHABLE KEYBOARD

ITEM NUMBERS:

CERTIFICATES & TESTING:

• USB-A (2.0) Port: 5V@500mA

Designed to IP54 ingress specifications

7160-1789-00

FEATURES:

- Designed for the Zebra ET4X 10" Series tablet without rugged frame Integrated center touchpad with right and left mouse buttons • 76-key keyboard with 12 function keys for custom operation
- · Silicone rubber keys with white lettering and a rugged polycarbonate case
- Easy to install PÓGO docking connector links the tablet to the keyboard
 Easily connect the tablet to the keyboard; slip the bottom of the tablet into the case and snap the top of the case over the tablet
- USB 2.0 port (500mA) to attach a mouse, another peripheral. or flash drive
- Charge the tablet directly from the tablet's USB-C port
- All computer features including camera, microphone, speakers, USB-C port, barcode scanner and all control buttons are accessible when the tablet is docked onto the keyboard
- · Friction hinge and screen footrest with rubber feet help position the tablet at a comfortable viewing angle • Hard carry handle with two attachment rings for shoulder strap enhance portability
- Low-profile ergonomic design for ease of use in a mobile environment
 USB-C port charges the tablet without having to separate it from the keyboard

Two million actuation per key
 RoHS, FCC Class B, CE, REACH, and C-Tick Certifications

 Not designed to be vehicle mounted
 Available in US English (7160-1789-00), UK (7160-1789-01), German (7160-1789-02), French (7160-1789-03), Spanish (7160-1789-04), Contact Gamber-Johnson for other language options

• Temperature range: OPERATING: -20°C to 60°C STORAGE: -40°C to 85°C

MOUNT IT. POWER IT. CARRY IT.

ET80/85 SLIM DOCKING STATION

7160-1787-00 Zebra ET80/85 SLIM Dual USB Docking

7160-1787-03 Zebra ET80/85 SLIM Dual USB Docking

7160-1788-00 Zebra ET80/85 SLIM Full Port Replication Docking Station (no RF)

7160-1788-03 Zebra ET80/85 SLIM Full Port Replication Docking Station (Tri RF)

 Compatible with the Zebra ET80/85 Rugged tablet computer and keyboard. Tablet's rugged frame is required to work with docking

· Access to all tablet control buttons and ports while the

• Downward-facing I/O ports; integrated cable strain relief and cable management system.
Optional TRI RF pass-through for additional

· Patented Slam Latch for one-hand docking and release for efficient use all day long. Keyed lock for theft deterrence.

Slim design to preserve cabin space.

Gamber-Johnson's rugged construction and reliability.
Composite design for reduced weight and durability. VESA 75 mounting pattern with 1/4-20 mounting studs for easy mounting with Gamber-Johnson mounts and

CERTIFICATES & TESTING:

 Electrostatic Discharge: ISO 10605 EMC Testing: EN 55032, EN50498
 RoHS, FCC, CE, UKCA



ET5X 10" 2-IN-1 **ATTACHABLE KEYBOARD**

ITEM NUMBERS:

7160-1585-00

- FEATURES:
- Designed for the Zebra ET5X 10" Series Enterprise tablet without rugged frame (Windows or Android compatible) Integrated center touchpad with right and left mouse buttons
- 76-key keyboard with 12 function keys for custom operation
- Silicone rubber keys with white lettering and a rugged polycarbonate case
 POGO pin connector adapter links the tablet to the keyboard
- USB 2.0 port (500mA) to attach a mouse, another peripheral, or flash drive Easily connect the tablet to the keyboard; slip the bottom of the tablet into the case and snap the top of the case over the tablet
- · All computer features including camera, microphone, speakers, USB-C port and all control buttons are accessible when the tablet is docked onto the keyboard Friction hinge and screen footrest with rubber feet position the tablet at a
- comfortable viewing angle Hard carry handle with two attachment rings for shoulder strap improve portability
- Available in US English (7160-1585-00), UK (7160-1585-01), German (7160-1585-02), French (7160-1585-03), Spanish (7160-1585-04), 7160-11585-05 (French CA), and 7160-1585-06 (Thai)
- 1-Year Limited Warranty

CERTIFICATES & TESTING:

- ROHS, REACH, FCC, CE,C-Tick, UKCA
- MIL-STD 810G Environmental: Humidity, High/Low Temperature (Operational/ Storage)
- 30,000 Cycle Tested Insertions and Hinge Mechanism
- Key Cycle Test 2 Million Press Cycles
- Key Surface Chemical Resistance



TC8000/TC8300

ITEM NUMBERS:

7160-1277 Non-Powered Cradle 7160-1277-01 Powered Cradle

7160-1277-02 Docking Station

FEATURES:

- Compatible with both Zebra TC8000 and Zebra TC8300 Handheld Touch Computers Lightweight, small form factor designed to be resilient
- and reliable in harsh material handling and enterprise environments
- Patented slam latch technology allows single handed operation to effortlessly remove the device
- Eliminate daily battery exchanges and device downtime by maintaining charge within your mobile work environment
- Reduce costly damages by safely securing your device
- · Included lock for theft deterrence and extra device security
- Offers the ability to utilize the device when secured
- Add additional peripherals by pairing
 Gamber's Dock with Zebra's USB IO Hub (sold
- separately) 1-Year Limited Warranty

CERTIFICATES & TESTING:

- ROHS, FCC, CE
 MIL-STD 810G Shock/Vibration
- SAE J1455 Crash Test Cvcle Tested

OVERHEAD GUARD LEG MOUNTS

Mount any device securely to forklift overhead guard legs. Gamber-Johnson Universal Mount attaches to all popular forklift guard legs.

CLAM SHELLS

Our Clam Shell line is Gamber-Johnson's staple product when it comes to extending the usability of technology into the mobile world of material handling. Easily attach any device, dock, cradle, or interface plate with the multiple hole patterns featured on the product. Our Clam Shells work to tailor to individual operator comfort and safety by providing a wide range of adjustments for optimal viewing of a device, improved visibility, and proximity to the operator.



GUARD LEG MOUNT WITH LOCKING SWING ARM MOUNT 7160-1841

The locking swing arm keeps your devices positioned where you want them, and the one-handed operation allows for easy adjustability.

- Mounting Versatility: Mount sandwiches the overhead guard leg and allows user to position the device at the desired height position.
- Locking Swing Arm locks devices in place and can be easily adjusted with one hand position. .



7160-1995 Guard Leg Mount



7160-2020 Guard Leg Mount with Dual Arms



7160-0420 Dual Clam Shell with Arm and Small Backer Plate 7160-0421 Dual Clam Shell with Arm and Large Backer Plate







7160-1096 Clamp Bracket Adapter



7160-1278 Yale Hyster 40/70 Cab Mount

HORIZONTAL EXTENSION

Increase your usable mounting space with our horizontal extension giving you more room to mount a total solution. Compatible with all Gamber-Johnson's roll formed and tube clamp brackets to ensure secure fitment to any overhead guard leg profile.

CAB MOUNTS

Secure your valuable tablets and devices right in the cab of your material handling vehicle using one of our reliable OEM specific mounts. Perfectly suited to tailor your workspace to the most efficient, ergonomic, and secure configuration, all while protecting your valuable assets and lift vehicle operators.



7160-1151 Toyota Cab Latch Mount for Electronic Hydraulics







7160-1233 Toyota Cab Mount



7160-1103 Linde E30 Latch Mounting Bracket



7160-1109 Yale/Hyster Electric Bracket



7160-0363 Horizontal Extension Bar

TUBE CLAMP MOUNTS

Expand your mounting location options by connecting your solution to multiple sizes of cylindrical poles, handles, or tubular style overhead guard legs. Adapt a Clam Shell product to finalize the total solution.



7160-0561 2". 2.5". 3" Diameter Tube Clamp



zirkona 7160-1356-01 Zirkona 2" to 3" Pole Mount with VESA 75mm Mounting Plate

7160-1356

Zirkona 2" to 3" Pole Mount with **AMPS/NEC Mounting Plate**



zirkona 7160-1367-01

Zirkona 3/4" to 1 7/8" Pole Mount with VESA 75mm Mounting Plate 7160-1367

Zirkona 3/4" to 1-7/8" Pole Mount with AMPS/NEC Mounting Plate

ROLL FORM BRACKETS

We have the ideal products for every mounting situation; including lift vehicles that have roll formed overhead guard legs. These brackets conform perfectly to various roll formed profiles ultimately creating a solid foundation to adapt our Clam Shell product line.

Pair with with DUAL CLAM SHELL MOUNT (PG.6) to complete your solution



7160-0418 For Yale/Hyster, Crown, and others

7160-1542 For CLARK

7160-0814 For Jungheinrich / CAT / Toyota

7160-0815 For Linde Models EV-30 and EV40

DIAMOND PLATE MOUNTS

When it comes to mounting lightweight devices turn to Gamber-Johnson's diamond plate mounts for a reliable solution. Multiple product offerings to interface your device with various hole patterns and ample adjustability to accommodate operator comfort and ease of use.



zirkana 7160-1261 Zirkona 4" Diamond

Plate with Large Joiner and AMPS/ **NEC Plate** 7160-1261-01

Zirkona 4" Diamond Plate with Large Joiner and VESA 75mm Plate



zirkana

7160-1466 Zirkona, 4" Diamond Plate with 6" Medium Dog-Bone and AMPs Plate

7160-1466-01

Zirkona, 4" Diamond Plate with 6" Medium Dog-Bone and VESA 75 mm Plate

OVERHEAD GUARD MOUNTS

Increase your operator's forward visibility by tucking your device up and out of the way. Directly mount from the overhead guard using various ergonomic options that best fit a wide variety of operator needs and preferences.



7160-1591-01

Adjustable mount designed with extended height and the flexibility to attach to angled or vertical cross bars on a variety of OEM overhead guards. Positions and secures your device to maximize operator workspace, increase safety, and ergonomics.

- ergonomic position.



7160-1591

Bar-short

Tall Adjustable

Overhead Guard



7160-1425 **Overhead Guard** Cab Mount





ADJUSTABLE OVERHEAD GUARD BAR-TALL

Positions device at the forward most point of the cross bar allowing for a secure and

• Attaches to angled or vertical forward cross bars, from 0-90 degrees, allowing the mount to attach to a variety of OEM overhead guards.

Vertical adjustability allows the end user to position the device to their specific need.



7160-1156-01 Tall Overhead Bar Mount



7160-0368 **Overhead Guard** Mount with Single Clam Shell



7160-0856 Vertical Extension Bar

PERIPHERAL MOUNTS

With today's mobile work environments being inundated with technology, Gamber-Johnson has you covered with various peripheral and accessory needs to ease day-to-day tasks, improve ergonomics, and increase workplace productivity and safety.

KEYBOARDS & KEYBOARD MOUNTS

Configure your keyboard for ultimate ease of use and the fastest possible access with our large selection of Keyboard Mounts. With an ergonomic angle that meets user needs, working on the keyboard in the field can be more streamlined and reliable than ever before.



7160-0799 Tablet Keyboard Mount **7160-0799-01** Tablet Keyboard Mount - Tall Backplate



7160-1257 Vertical Tablet Keyboard Mount **7160-1257-01** Vertical Tablet Keyboard Mount -Tall Backplate



7160-0859 Number Pad Bracket




7170-0817-01 Rugged Lite Backlit Keyboard and Quick Release Keyboard Cradle



7160-1449-00 Rugged Lite Keyboard



iKey Rugged Keyboard *See website for full assortment



MOUNT IT. POWER IT. CARRY IT.

HANDHELD **SCANNER MOUNTS**

Safeguard handheld scanners from accidental drops and catastrophic damage by housing your device with the right mount to fit your operation's needs.





7160-1380

Bracket

7170-0764

Pistol Grip Scanner

Zirkona, Pistol Grip Scanner Mount

7160-1306 Scanner Pocket Mount with Small Back Plate

Zirkona 4" Diamond Mount

w/Scanner Pocket

7170-0788

7160-1389 Scanner Pocket Tablet Mount



ZEBRA DS3678 SCANNER CRADLE MOUNTS 7170-1049 Zebra DS3678 Scanner Cradle 2" - 3" Round Tube Mount Kit 7170-1048 Zebra DS3678 Scanner Cradle Rectangular Guard Leg Mount Kit 7170-1050

Zebra DS3678 Scanner Cradle Pivoting Mount Kit



7160-1259 Flat Surface Magnet Mount with Scanner Holder



Continue to expand from a desk to a mobile work environment by creating a secure and accessible way to mount rugged mobile printers.





7160-0817 Zebra ZQ630/QLN420 **Printer Bracket**

7160-1473 Zebra ZQ620 Printer

Bracket

7160-1693 ZEBRA ZD620D, ZD620T, ZD621D, and ZD621T, 75MM HP Printer Mount



7160-1053 Zebra ZQ500 Printer Mount

SAFETY LIGHT MOUNTS

Mount safety lights to present a visual alert to help increase warehouse safety, minimize the risk of accidents, and improve visible awareness of approaching lift vehicles.



7160-0610 Single Light Bracket



7160-1719 Forklift Light Mount

OTHER PERIPHERAL MOUNTS



Fixed Forklift Cup

Holder Mount

MOUNT IT. POWER IT. CARRY IT.







7160-1810 Shrink Wrap Mount -Small Back Plate

7160-1810-1 Shrink Wrap Mount -Large Back Plate



7300-0302 Retractable Scanner Reel

POWER SUPPLIES, WIRING KITS & MOUNTS



Protect and power your valuable devices by pairing them with a clean, stable power source to guarantee functionality and longevity. Combine with a Gamber-Johnson Wiring Kit and Power Supply Mount for a professional look and quick installation.

SCREEN PROTECTION AND **InfoCase MOBILITY SOLUTIONS**

Experience reduced fatigue and increased productivity and efficiency due to enhanced ergonomics and comfort. Easily engage with other equipment with the hands-free capability and improved device access.



LIND ISOLATED POWER **SUPPLY FOR ZEBRA***

*See website for full assortment

ZEBRA ET4X, ET5X, ET6X, ET8X/ 2.5MM 90° CONNECTOR

7300-0466 12-32Vdc - 12Vdc OP 7300-0467 20-60Vdc - 12Vdc OP 7300-0418 72-110Vdc - 12Vdc OP

ZEBRA ET4X. ET5X. ET6X **STRAIGHT 2.5MM CONNECTOR** 7300-0692 12-32Vdc - 12Vdc OP 7300-0693 20-60Vdc - 12Vdc OP 7300-0694 72-110Vdc - 12Vdc OP

ZEBRA HAND HELD/TC57, TC77, TC8300/1.7MM CONNECTOR

7300-0455 12-32Vdc - 12Vdc OP 7300-0456 20-60Vdc - 12Vdc OP 7300-0483 72-110Vdc - 12Vdc OP

ZEBRA HAND HELD/TC22/27 USB-C INPUT (No Output Cable: Two (2) USB-A ports) 7300-0452 12-32Vdc - 12Vdc OP 7300-0453 20-60Vdc - 12Vdc OP 7300-0454 72-110Vdc - 12Vdc OP



7300-0482 Wiring Kit



7160-1333 Power Supply Clamp

VOLTVAULT PRO SHUT DOWN TIMER 7300-0410

- · Adjustable 5 seconds to 4 hours
- Shut Down Timer (SDT) protects the automobile battery from over discharge by shutting OFF at a preset time after engine is shut down or battery discharged to a low voltage level
- SDT protects radio or computer equipment from damage due to low or high input voltage
- Low voltage shut down at 10.5 V DC High voltage shut down at 18 V DC with auto reset
- Automatic activation by sensing the battery voltage (battery not charging = timer ON)



Factory Set at 2 Hours

VOLTVAULT SHUT

DOWN TIMER

7300-0409

- Shut Down Timer (SDT) protects the automobile battery from over discharge by shutting OFF at a preset time after engine is shut down or battery discharged to a low voltage level
- SDT protects radio or computer equipment from damage due to low or high input voltage
- Low voltage shut down at 10.5 V DC
- High voltage shut down at 18 V DC with auto reset
- Automatic activation by sensing the battery voltage (battery not charging = timer ON)
- Optional activation by ignition switch

SCREEN PROTECTION

Encase your device with Gamber-Johnson's patented selection of thermal and non-thermal protective covers. Designed to keep your device safe from the harsh elements in unforgiving work environments that could prematurely destroy your assets.

The InfoCase Rugged Tempered Glass Screen Protection for Zebra devices offers an extra layer of defense against scratches and impacts. Designed specifically for Zebra tablets and laptops, this laser-cut, custom-fit protector ensures high optical clarity and features an antismudge coating for a clear viewing experience.

MOBILITY SOLUTIONS

Whether you are hoping to have your device with you at all times, or have a more ergonomic carrying solution. InfoCase provides optimal convenient options.

Find the full line of solutions at INFOCASE.COM





MOUNT IT. POWER IT. CARRY IT.



7160-0949 8" Protective Cover 7160-0950 10" Protective Cover 7160-0981 8" Thermal Protective Cover 7160-0982 10" Thermal Protective Cover



Reinfo	rced Structure	
Anti-dust		
Nano Coating	\cdot / / /	
Tempered Glass	\sim	
OCA Layer	\sim	
PET Base		
Silicone Resin		
Release Film		



G MOUNT IT. POWER IT. CARRY IT.



5001 Joerns Drive, Stevens Point, WI 54481, U.S.A. 800.487.9220 | sales@gamberjohnson.com

