



COMPATIBILITY CHART

DELL DOCKING STATIONS

**RUGGED.
RELIABLE.
RESPONSIVE.**



DELL 10" RUGGED TABLETS

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	COMPATIBLE DEVICES	RF PASS- THROUGH	POWER ADAPTER	PORT REPLICATION
AC812027	7160-1882-00	Dell 10" Rugged Tablet Docking Station, Lite Port	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	No	- USB-A 9-Pin - (2) Fully powered (1.5Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812028	7160-1882-10	Dell 10" Rugged Tablet Docking Station, Full Port	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA) - HDMI 1.1 (1080p)
AC812029	7160-1883-00	Dell 10" Rugged Tablet Cradle (No electronics)	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	No	No Port Replication
AC812030	7160-1884-00	Dell 10" Rugged Tablet and Keyboard Cradle (No electronics)	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	No	No Port Replication
AC812039	7170-1053-00	KIT: Dell 10" Rugged Tablet Docking Station, Lite Port with LIND Auto Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812038	7170-1054-00	KIT: Dell 10" Rugged Tablet Docking Station, Lite Port with LIND 12-32V Isolated Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812037	7170-1054-10	KIT: Dell 10" Rugged Tablet Docking Station, Lite Port with LIND 20-60V Isolated Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc



RUGGED. RELIABLE. RESPONSIVE.



DELL 10" RUGGED TABLETS CONT.

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	COMPATIBLE DEVICES	RF PASS- THROUGH	POWER ADAPTER	PORT REPLICATION
AC812036	7170-1054-20	KIT: Dell 10" Rugged Tablet Docking Station, Lite Port with LIND 72-110V Isolated Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC812033	7170-1053-10	KIT: Dell 10" Rugged Tablet Docking Station, Full Port with LIND Auto Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - HDMI 1.1 (1080p)
AC812034	7170-1055-00	KIT: Dell 10" Rugged Tablet Cradle (No electronics) with LIND 100W USB-C Auto Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	No Port Replication
AC812032	7170-1056-00	KIT: Dell 10" Rugged Tablet and Keyboard Cradle (No electronics) with LIND 100W USB-C Auto Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	No Port Replication
	7170-1119-10	KIT: Dell 10" Rugged Tablet Docking Station, Full Port with LIND 120W Auto Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- Display: HDMI 1.1 - Power Input: 19.5 Vdc - RJ45 Ethernet (1) - RS232 Serial (1) - USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps)
AD102436	7170-1119-00	KIT: Dell 10" Rugged Tablet Docking Station, Lite Port with LIND 120W Auto Power Adapter	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	- Power Input: 19.5 Vdc - RJ45 Ethernet (1) - RS232 Serial (1) - USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps)
	7160-1997-00	Dell 10" Rugged Tablet Desktop Docking Station	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	No (Uses power supply provided with tablet)	(2) HDMI (1) Serial (1) Ethernet (3) USB-A 3.0 (1) USB-C power only (1) USB-C DisplayPort (1) Audio combo jack
	7160-1997-10	Dell 10" Rugged Tablet Desktop Docking Station with Power Supply	- Dell Latitude 7030 Rugged Extreme Tablet - Dell Pro Rugged 10 Tablet (RA00260)	No	Yes - External	(2) HDMI (1) Serial (1) Ethernet (3) USB-A 3.0 (1) USB-C power only (1) USB-C DisplayPort (1) Audio combo jack



RUGGED. RELIABLE. RESPONSIVE.



DELL 12" RUGGED TABLETS

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	COMPATIBLE DEVICES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
AC326388	7160-1772-00	Dell 12" Rugged Tablet Docking Station, Lite Port - NO RF	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc
AC364203	7160-1772-04	Dell 12" Rugged Tablet Docking Station, Lite Port - QUAD RF	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	Quad RF (SMA)	No	- USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA)
AC578019	7160-1772-10	Dell 12" Rugged Tablet Docking Station, Full Port - NO RF	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	No	- USB-A 9-Pin - (2) - Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - HDMI 1.1 (1080p)
AC578022	7160-1772-14	Dell 12" Rugged Tablet Docking Station, Full Port - QUAD RF	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	Quad RF (SMA)	No	- USB-A 9-Pin - (2) - Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps) - RJ45 Ethernet (1) - RS232 Serial (1) - Power Input: 19.5 Vdc - Antenna: Quad RF (SMA) - HDMI 1.1 (1080p)
AC364224	7160-1773-00	Dell 12" Rugged Tablet Cradle (No electronics) - NO RF	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	No	No port replication
AC3643080	7170-0992-00	Dell 12" Rugged Tablet Cradle (No electronics) - NO RF with Lind Auto Power Adapter	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	Yes - External	No port replication
AC364245	7160-1811	Dell 12" Rugged Tablet and Keyboard Cradle (No electronics) - NO RF	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	No	No port replication
AC364350	7170-1002	Dell 12" Rugged Tablet and Keyboard Cradle (No electronics) - NO RF with Lind Auto Power Adapter	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	Yes - External	No port replication
	7170-1118-00	KIT: Dell 12" Rugged Tablet Docking Station, Lite Port - No RF with LIND 120W Auto Power Adapter	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	Yes - External	- Power Input: 19.5 Vdc - RJ45 Ethernet (1) - RS232 Serial (1) - USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps)



RUGGED. RELIABLE. RESPONSIVE.



DELL 12" RUGGED TABLETS CONT.

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	COMPATIBLE DEVICES	RF PASS- THROUGH	POWER ADAPTER	PORT REPLICATION
	7170-1118-04	KIT: Dell 12" Rugged Tablet Docking Station; Lite Port – QUAD RF with LIND 120W Auto Power Adapter	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	Quad RF (SMA)	Yes - External	- Power Input: 19.5 Vdc - RJ45 Ethernet (1) - RS232 Serial (1) - USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps)
	7170-1118-10	KIT: Dell 12" Rugged Tablet Docking Station, Full Port – NO RF with Lind 120W Auto Power Adapter	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	Yes - External	- Display: HDMI 1.1 - Power Input: 19.5 Vdc - RJ45 Ethernet (1) - RS232 Serial (1) - USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps)
	7170-1118-14	KIT: Dell 12" Rugged Tablet Docking Station, Full Port – QUAD RF with Lind 120W Auto Power Adapter	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	Quad RF (SMA)	Yes - External	- Display: HDMI 1.1 - Power Input: 19.5 Vdc - RJ45 Ethernet (1) - RS232 Serial (1) - USB-A 9-Pin - (2) Fully powered (1.5 Amps each) - USB-C (1) Fully powered (1.5 Amps)
AD102436	7160-1997-00	Dell 12" Rugged Tablet Desktop Docking Station	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	No (Uses power supply provided with tablet)	(2) HDMI (1) Serial (1) Ethernet (3) USB-A 3.0 (1) USB-C power only (1) USB-C DisplayPort (1) Audio combo jack
	7160-1997-10	Dell 12" Rugged Tablet Desktop Docking Station with Power Supply	- Dell Latitude 7230 Rugged Extreme Tablet - Dell Pro Rugged 12 Tablet RA02260	No	Yes - External	(2) HDMI (1) Serial (1) Ethernet (3) USB-A 3.0 (1) USB-C power only (1) USB-C DisplayPort (1) Audio combo jack



DELL LATITUDE:

Compatibility: 12 Rugged Extreme 7204/7214, 14 Rugged Extreme 7404/7414/7424, 14 Rugged 5404/5420/5424/5414, 14 Rugged 5430, 14 Rugged Ext 7330, 13 Pro Rugged RA13250, 14 Pro Rugged RB14250

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
A9780512	7160-0883-00	Dell® Latitude Rugged Notebook Cradle - NO RF	- No port replication - Low profile, front-facing lock/release	No	No	No port replication
AD161695	7160-1982-00	Dell Latitude Rugged Laptop Docking Station, Lite Port Replication, NO RF	- Lite port replication (no HDMI) - Low profile, front-facing lock/release	No		(1) Ethernet, RJ45 (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 - Power input, 19VDC
AD161696	7160-1982-03	Dell Latitude Rugged Laptop Docking Station, Lite Port Replication, TRI RF	- Lite port replication (no HDMI) - Low profile, front-facing lock/release - External antenna connections	TRI-RF TNC		(1) Ethernet, RJ45 (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 - Power input, 19VDC
AD161697	7160-1982-10	Dell Latitude Rugged Laptop Docking Station, Full Port Replication, NO RF	- Full port replication - Low profile, front-facing lock/release	No		(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 - Power input, 19VDC
AD154289	7160-1982-13	Dell Latitude Rugged Laptop Docking Station, Full Port Replication, TRI RF	- Full port replication - Low profile, front-facing lock/release - External antenna connections	TRI-RF TNC		(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 - Power input, 19VDC
AD157107	7170-1090-13	KIT: Dell Laptop Dock, Full Port Replication, TRI RF + Power Adapter	- Full port replication - Low profile, front-facing lock/release - External antenna connections - Includes power adapter	TRI-RF TNC	Yes	(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 - Power input, 19VDC
AD156459	7170-1090-10	KIT: Dell Laptop Dock, Full Port Replication, NO RF + Power Adapter	- Full port replication - Low profile, front-facing lock/release - Includes power adapter	No	Yes	(1) Ethernet, RJ45 (1) HDMI (1) Serial, D-sub 9-pin (1) USB-A 2.0 (1) USB-C 3.0 (2) USB-A 3.0 - Power input, 19VDC



DELL LATITUDE CONT.

Compatibility: 12 Rugged Extreme 7204/7214, 14 Rugged Extreme 7404/7414/7424, 14 Rugged 5404/5420/5424/5414, 14 Rugged 5430, 14 Rugged Ext 7330, 13 Pro Rugged RA13250, 14 Pro Rugged RB14250

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
AD161698	7170-1090-03	KIT: Dell Laptop Dock, Lite Port Replication, TRI RF + Power Adapter	• Lite port replication (no HDMI) • Low profile, front-facing lock/release • External antenna connections • Includes power adapter	TRI-RF TNC	Yes	• (1) Ethernet, RJ45 • (1) Serial, D-sub 9-pin • (1) USB-A 2.0 • (1) USB-C 3.0 • (2) USB-A 3.0 • Power input, 19VDC
AD161699	7170-1090-00	KIT: Dell Laptop Dock, Lite Port Replication, NO RF + Power Adapter	• Lite port replication (no HDMI) • Low profile, front-facing lock/release • Includes power adapter	No	Yes	• (1) Ethernet, RJ45 • (1) Serial, D-sub 9-pin • (1) USB-A 2.0 • (1) USB-C 3.0 • (2) USB-A 3.0 • Power input, 19VDC



DELL LATITUDE 12 RUGGED TABLET

DELL® SKU	GAMBER-JOHNSON ITEM NUMBER	GAMBER-JOHNSON ITEM DESCRIPTION	FEATURES	RF PASS-THROUGH	POWER ADAPTER	PORT REPLICATION
A9780510	7160-0881-00	Dell® Latitude Rugged Tablet Cradle-No RF	• Less expensive alternative to a docking station • No port replication	No	No	No port replication