



PRODUCT GUIDE

Internal Printer Box – Widebody Locking Pocket

PRODUCT NUMBER(S)

7160-2216



For more language options and/or questions, please contact a Gamber-Johnson representative at **+1 800.756.9198**

Since 1954, we have been dedicated to providing **RUGGED**, **RELIABLE**, and **RESPONSIVE** solutions that empower professionals in the field.

Thank you for choosing Gamber-Johnson.

Welcome to your new **Gamber-Johnson Internal Printer Box**—engineered for **mission-critical reliability** in the toughest environments. At Gamber-Johnson, we understand that your technology is more than a tool; it's a lifeline. That's why our rugged mounting solutions and docking stations are designed to integrate seamlessly with your equipment, ensuring **secure connections** and **reliable performance** wherever your job takes you.

This guide will walk you through the safe and effective installation of your **Internal Printer Box**.

Inside, you'll find:


- Inventory list of what's included
- Step-by-step installation instructions
- Images for easy reference
- Essential safety information to ensure proper setup and operation

Our commitment to **quality**, **durability**, and **rugged reliability** is built into every product we make.

Important: Before you begin, please carefully review all safety instructions provided in this guide. For vehicle applications, we recommend professional installation by qualified technicians with experience in automotive electrical systems and aftermarket vehicle equipment installation.

For additional product information, installation tips, or support, please contact your Gamber-Johnson representative at **+1 800.756.9198** or visit **www.gamberjohnson.com**.

PAGE	SECTION
1	Cover Page
2	Introduction
3	Table Of Contents
4	Feature Identification
5	Safety Information
6	Installation (Printer)
7-8	Installation (Into Console Box)
9	Warranty



	DESCRIPTION
1	Printer Box Outer Housing
2	Mounting Rail
3	Printer Box Inner Housing
4	Paper Roll Dowel
5	Printer Support Bracket
6	Inner Housing Lift Handle
7	Printer Box Lid
8	Paper Outlet Slot
9	Lid Thumb Screws

WARNING

You must read and follow all of these installation instructions. Failure to follow the installation instructions may result in serious bodily injury or death

DO NOT install or use this assembly in the area in which the airbag on the vehicle may be deployed. The installer and user of this assembly are responsible for installing and using this assembly outside the area in which an airbag may be deployed. (See Product Mounting Disclaimer Below)

If the installation of the equipment requires that the equipment (or any additional equipment that is added to the installation) be placed in front of an airbag, the airbag should be deactivated. In order to secure permission for deactivating the airbag you must contact the National Highway Traffic Safety Administration at 1-800-424-9393 to gain permission to do so. If you have any questions or need assistance, call Gamber-Johnson at **+1 800-756-9198**.

High speed vehicle turns may cause parts of the assembly to swivel, interfering with the driver or other equipment.

Keep these installation instructions with the product and readily available in the vehicle for future reference of other users of the product.

Additional copies of the installation instruction can be obtained from Gamber-Johnson. If you need assistance or have any questions, go to www.gamberjohnson.com or call Gamber-Johnson at **+1 800-756-9198**.

DO NOT remove any warning labels from the product under any circumstances.

Installation Of Printer




Figure 1



Figure 2



Figure 3

1. Remove the printer box lid by loosening the 2 thumb screws.
2. Remove the printer box inner housing from the outer housing by lifting straight up.
3. Lift the paper roll dowel out of the bracket and slide the paper roll onto the dowel. Place the dowel back into the bracket (Figure 1)
4. Feed the paper into the printer following the printer manufacturers instruction. (Figure 2)
5. Ensure all cables are routed out of the bottom of the inner printer box housing with the cable ferrites remaining in the inner printer box as shown. (Figure 3)

Installation Into Console Box

(7160-2022 Console Box Shown)




Figure 1




Figure 2




Figure 3

1. Remove the pocket lid by removing the (4) nuts securing the hinge to the console box. Retain 2 of the nuts for installation of the printer box. (Figure 1)
2. With all horizontal face plates removed from the lower top plate of the console or the entire lower top plate removed from the console, remove the nut securing the front of the pocket. Image shows view from underside of console box. The nut is accessible through the top opening.(Figure 2)
3. Remove the (2) screws securing the rear of the pocket and (2) screws securing the side of the pocket. (Figure 3)
4. Remove the pocket from the console box.
5. The pocket may be secured to the console box differently on other models of console boxes. If you have any questions or need assistance, call Gamber-Johnson at **+1 800-756-9198**.

Installation Into Console Box




Figure 1



Figure 2




Figure 3



Figure 4




Figure 5

1. Place the printer box outer housing into the pocket opening. Secure with (2) nuts removed from the pocket lid hinge. (Figures 1 and 2)
2. Using the hardware from hardware bag 7120-1336, install a screw with washer and nut as shown securing the top and bottom of the printer box outer housing. (Figure 3)
3. Install previously assembled printer box inner housing into the outer housing routing cables through opening at the bottom of the outer housing. Feed paper through the slot of the lid and attach the lid to the printer box with the (2) thumb screws. (Figures 4 and 5)



SCAN HERE TO VIEW WARRANTY INFORMATION

www.gamberjohnson.com/product-services/warranty-information

Product Mounting Disclaimer

Gamber-Johnson is not liable under any theory of contract or tort law for any loss, damage, personal injury, special, incidental or consequential damages for personal injury or other damage of any nature arising directly or indirectly as a result of the improper installation or use of its products in vehicle or any other application. In order to safely install and use Gamber-Johnson products full consideration of vehicle occupants, vehicle systems (i.e., the location of fuel lines, brake lines, electrical, drive train or other systems), air-bags and other safety equipment is required. Gamber-Johnson specifically disclaims any responsibility for the improper use or installation of its products not consistent with original vehicle manufactures specifications and recommendations, Gamber-Johnson product instruction sheets, or workmanship standards as endorsed through the Gamber-Johnson Certified Installer Program.

© Copyright 2026 Gamber-Johnson, LLC

QUESTIONS OR NEED MORE INFORMATION?

NO PROBLEM, WE'RE HERE TO HELP!

Call us at: **+1 800.756.9198**

Email us at: sales@gamberjohnson.com

Visit www.gamberjohnson.com to see our complete line of solutions and hang with us on social media at [@gamberjohnson](https://www.instagram.com/gamberjohnson)