



ZEBRA

MATERIAL HANDLING

RUGGED. RELIABLE. RESPONSIVE.™

SECURE YOUR ASSETS WITH A NAME YOU CAN TRUST

Gamber-Johnson is the global leader in equipment mounting products — driven by our mission of “supporting technology to help save the world.” We manufacture components and systems for every mounting solution, all meticulously designed to be rugged, reliable, and responsive. Gamber-Johnson is a trusted name in the industry; long known as the go-to partner for major rugged computer OEMs. As a pioneer in design innovation — receiving numerous awards and accolades as an industry leader — Gamber-Johnson has been the preferred choice for decades.

Harness the power of Gamber-Johnson’s laser-like focus on innovation with the perfect mounting solution for your lift vehicle.



MOUNTING SOLUTIONS FOR EVERY LIFT VEHICLE

Secure your tablets and equipment with our superior mounting solutions, for ultimate peace of mind. We offer a wide range of turnkey solutions that are configurable for your material handling vehicle’s specific make and model. Our ergonomic solutions enhance driver efficiency, reduce installation time, speed up operations, and improve overall workplace safety. To narrow down the best solution for your fleet begin by asking yourself these five important questions:

1. WHAT DEVICE IS BEING MOUNTED?

Identifying your device ensures that you get the correct dock or cradle to support your specific need and desired connectivity.

2. WHAT MODEL VEHICLE IS THE DEVICE BEING MOUNTED TO?

Knowing the make and model of your vehicle will allow us to recommend the best location and corresponding product needed to mount your device.

3. WHAT IS THE CAB TYPE?

Determine whether it is an open or enclosed cab.

4. WHAT IS THE VEHICLE’S VOLTAGE?

By knowing the voltage or power requirement of your lift vehicle we can ensure that you get the appropriate power supply for your specific need.

5. WHAT ACCESSORIES ARE BEING MOUNTED?

Understanding your accessory needs will allow us to build the best material handling solution for your team.



G[®] CRADLES AND DOCKING STATIONS

Secure your tablets and other devices with a Gamber-Johnson cradle or docking station. Cradles keep your device safe and secure without port access, while docking stations replicate the device's ports for easy and secure access.

Either way - we have a solution that will meet your needs in the most secure, ergonomic configuration possible.



ET6X 10" SLIM DOCKING STATIONS & CRADLES

ITEM NUMBERS 8" TABLET SIZE:
 7160-1886-00: Zebra ET6X 10" SLIM Cradle
 7160-1885-00: Zebra ET6X 10" SLIM Docking Station, No RF

- FEATURES:**
- Designed for the Zebra ET60 and ET65 rugged tablet computer
 - POGO pin connector provides power to charge the Zebra tablet while docked
 - Patented Slam Latch for one-handed docking and release for efficient use all day long
 - Accommodates the Zebra ET6X attachable keyboard
 - All features on tablet are accessible while the tablet is safely docked
 - Simple, one-handed docking and release operation
 - Barrel Key lock for theft deterrence
 - Composite design for reduced overall weight
 - Molded in cable restraint features for streamlined cable management
 - VESA 75mm mounting pattern; compatible with Zirkona mounting products
 - Can be mounted on a flat vertical surface

CERTIFICATES & TESTING:

- MIL-STD 810G Shock/Vibration Tested
- MIL-STD 810G Environmental Testing: Humidity, High/Low temperature, (storage/operational)
- SAE J1455 Crash Tested
- Cycle Tested: 30K cycles, docking connector, latching & locking mechanisms
- EN62368 Safety Tested
- RoHS, FCC, CE, RCM Certifications



ET80/85 SLIM DOCKING STATION

ITEM NUMBERS:
 7160-1787-00 Zebra ET80/85 SLIM Dual USB Docking Station (no RF)
 7160-1787-03 Zebra ET80/85 SLIM Dual USB Docking Station (Tri RF)
 7160-1788-00 Zebra ET80/85 SLIM Full Port Replication Docking Station (no RF)
 7160-1788-03 Zebra ET80/85 SLIM Full Port Replication Docking Station (Tri RF)

- FEATURES:**
- Compatible with the Zebra ET80/85 Rugged tablet computer and keyboard.
 - Tablet's rugged frame is required to work with docking station.
 - Access to all tablet control buttons and ports while the tablet is docked.
 - Downward-facing I/O ports; integrated cable strain relief and cable management system.
 - Optional TRI RF pass-through for additional customization.
 - Patented Slam Latch for one-hand docking and release for efficient use all day long.
 - Keyed lock for theft deterrence.
 - Slim design to preserve cabin space.
 - Gamber-Johnson's rugged construction and reliability.
 - Composite design for reduced weight and durability.
 - VESA 75 mounting pattern with 1/4-20 mounting studs for easy mounting with Gamber-Johnson mounts and motion attachments.

CERTIFICATES & TESTING:

- MIL-STD-810H Operational and Non-Operational Vibration/Shock Testing
- Environmental: Humidity, Thermal Shock, High/Low Temperature - Storage/Operational
- Cycle Test: 30,000 cycles, Latch, Lock, and Docking Connector
- Electrostatic Discharge: ISO 10605
- Shock Crash Hazard: Test SAE J1455
- EMC Testing: EN 55032, EN50498
- RoHS, FCC, CE, UKCA



TC8000/TC8300

ITEM NUMBERS:
 7160-1277-00 Non-Powered Cradle
 7160-1277-01 Powered Cradle
 7160-1277-02 Docking Station

- FEATURES:**
- Compatible with both Zebra TC8000 and Zebra TC8300 Handheld Touch Computers
 - Lightweight, small form factor designed to be resilient and reliable in harsh material handling and enterprise environments
 - Patented slam latch technology allows single handed operation to effortlessly remove the device
 - Eliminate daily battery exchanges and device downtime by maintaining charge within your mobile work environment
 - Reduce costly damages by safely securing your device
 - Included lock for theft deterrence and extra device security
 - Offers the ability to utilize the device when secured
 - Add additional peripherals by pairing
 - Gamber's Dock with Zebra's USB IO Hub (sold separately)
 - 1-Year Limited Warranty

CERTIFICATES & TESTING:

- ROHS, FCC, CE
- MIL-STD 810G Shock/Vibration
- SAE J1455 Crash Test
- Cycle Tested



ET4X SLIM DOCKING STATIONS & CRADLES

ITEM NUMBERS 8":
 7160-1801-00 SLIM Dual USB Docking Station (Bare Wire)
 7160-1801-04 SLIM Dual USB Docking Station (2.5mm DC Power Jack)
 7160-1801-20 SLIM Docking Station (Lite Full Board Replication)
 7160-1801-90 SLIM Cradle (no electronics)

ITEM NUMBERS 10":
 7160-1807-00 SLIM Dual USB Docking Station (Bare Wire)
 7160-1807-04 SLIM Dual USB Docking Station (2.5mm DC Power Jack)
 7160-1807-20 SLIM Docking Station (Lite Full Board Replication)
 7160-1807-90 SLIM Cradle (no electronics)

- FEATURES:**
- Designed for the Zebra ET4X 8" and 10" rugged tablet
 - Zebra's rugged boot is required in order to work with docking station
 - Dual powered USB ports; 1.5A for each port for connecting peripheral devices
 - 10-40V power input range to support a wide range of mobile applications
 - All features of tablet are functional while the tablet is safely docked
 - Patented slam latch for simple, one-handed docking and release operation
 - Insert bottom of Zebra tablet into the docking station and push top of the tablet in until the lock engages.
 - Push latch button up with your thumb then remove the tablet from the docking station.
 - POGO pin connector and internal power supply provides power to charge the Zebra tablet while docked
 - Barrel Key lock for theft deterrence
 - VESA 75mm mounting pattern; compatible with Zirkona mounting products
 - Bare Wire, 2.5mm DC Power Jack, and Lite Port Replication options
 - Can be mounted on a flat vertical surface
 - Composite design for reduced overall weight

CERTIFICATES & TESTING:

- MIL-STD 810G Shock/Vibration Tested, Environmental Testing: Humidity, High/Low temperature, (storage/operational)
- SAE J1455 Crash Tested
- Cycle Tested: 30K cycles, docking connector, latching & locking mechanisms
- RoHS, FCC, CE Certifications



ET51/56 SLIM DOCKING STATIONS & CRADLES

ITEM NUMBERS 8":
 7160-1506-90 Non-Powered Cradle
 7160-1506-10 Powered Cradle, No Port Replication
 7160-1506-00 Dual USB Docking Station
 7160-1506-20 Docking Station, Full Port Replication with RS232

ITEM NUMBERS 10":
 7160-1576-90 Non-Powered Cradle
 7160-1576-10 Powered Cradle, No Port Replication
 7160-1576-00 Dual USB Docking Station
 7160-1576-20 Docking Station, Full Port Replication with RS232

- FEATURES:**
- Designed for the Zebra ET51/56 rugged tablet computer with rugged frame
 - This dock does not accommodate ET51/56 accessories
 - Integrated front camera on the ET5X is accessible when the tablet is docked
 - Compatible with Windows or Android operating systems
 - Access to all control buttons and ports while the tablet is safely docked
 - POGO pin connector provides power to charge the Zebra tablet while docked (Available on docking stations and charging cradle)
 - Guide pins align the tablet so it is properly positioned while docking
 - Keyed lock for security and theft deterrence
 - Easy one-hand docking & release operation
 - VESA 75 mm and AMP5 mounting patterns; compatible with Gamber-Johnson's Zirkona mounting products
 - Composite/aluminum design for reduced weight and extended durability
 - 3-Year Limited Warranty

CERTIFICATES & TESTING:

- Zebra Certified
- MIL-STD 810G Shock/Vibration Tested
- MIL-STD 810G Environmental Testing: Humidity, High/Low Temperature, (Storage/Operational)
- SAE J1455 Crash Tested
- Cycle Tested: 30K Cycles, Docking Connector, Latching & Locking Mechanisms
- RoHS, FCC, CE Certifications



ET50/55 51/56

ITEM NUMBERS 8":
 7160-0819-00 Non-Powered Cradle
 7160-0819-04 Powered Cradle, No Port Replication
 7160-0861-00 Docking Station, Full Port Replication with RS232

ITEM NUMBERS 10":
 7160-0818-00 Non-Powered Cradle
 7160-0818-04 Powered Cradle, No Port Replication
 7160-0860-00 Docking Station, Full Port Replication with RS232

- FEATURES:**
- Designed for the Zebra ET5X Series Enterprise tablets with the "rugged frame" option
 - Accommodates the expansion back of the ET50/51 55/56 to easily add accessories (scanner/ hand strap, optional battery bay, and stylus)
 - Integrated front camera on the ET5X is accessible when the tablet is docked
 - Compatible with either Windows or Android operation systems on the ET50/51 55/56
 - Dual latch/locks provide tablet stability when docked
 - Guide pins align the tablet so it is properly positioned while docking
 - VESA 75mm mounting pattern
 - Steel and composite design, rugged construction for long-term durability
 - 3-Year Limited Warranty

CERTIFICATES & TESTING:

- Zebra Certified
- ROHS, FCC, CE
- MIL-STD 810G Shock/Vibration
- SAE J1455 Crash Test
- Cycle Tested – Locking and Docking Mechanism



ET4X 10" 2-IN-1 ATTACHABLE KEYBOARD

ITEM NUMBERS:
 7160-1789-00

- FEATURES:**
- Designed for the Zebra ET4X 10" Series tablet without rugged frame
 - Integrated center touchpad with right and left mouse buttons
 - 76-key keyboard with 12 function keys for custom operation
 - Silicone rubber keys with white lettering and a rugged polycarbonate case
 - Easy to install - POGO docking connector links the tablet to the keyboard
 - Easily connect the tablet to the keyboard; slip the bottom of the tablet into the case and snap the top of the case over the tablet
 - USB 2.0 port (500mA) to attach a mouse, another peripheral, or flash drive
 - Charge the tablet directly from the tablet's USB-C port
 - All computer features including camera, microphone, speakers, USB-C port, barcode scanner and all control buttons are accessible when the tablet is docked onto the keyboard
 - Friction hinge and screen footrest with rubber feet help position the tablet at a comfortable viewing angle
 - Hard carry handle with two attachment rings for shoulder strap enhance portability
 - Low-profile ergonomic design for ease of use in a mobile environment
 - USB-C port charges the tablet without having to separate it from the keyboard
 - Not designed to be vehicle mounted
 - Available in US English (7160-1789-00), UK (7160-1789-01), German (7160-1789-02), French (7160-1789-03), Spanish (7160-1789-04), Contact Gamber-Johnson for other language options.

CERTIFICATES & TESTING:

- USB-A (2.0) Port: 5V@500mA
- Temperature range: OPERATING: -20°C to 60°C STORAGE: -40°C to 85°C
- Designed to IP54 ingress specifications
- Two million actuation per key
- RoHS, FCC Class B, CE, REACH, and C-Tick Certifications



ET5X 10" 2-IN-1 ATTACHABLE KEYBOARD

ITEM NUMBERS:
 7160-1585-00

- FEATURES:**
- Designed for the Zebra ET5X 10" Series Enterprise tablet without rugged frame (Windows or Android compatible)
 - Integrated center touchpad with right and left mouse buttons
 - 76-key keyboard with 12 function keys for custom operation
 - Silicone rubber keys with white lettering and a rugged polycarbonate case
 - POGO pin connector adapter links the tablet to the keyboard
 - USB 2.0 port (500mA) to attach a mouse, another peripheral, or flash drive
 - Easily connect the tablet to the keyboard; slip the bottom of the tablet into the case and snap the top of the case over the tablet
 - All computer features including camera, microphone, speakers, USB-C port and all control buttons are accessible when the tablet is docked onto the keyboard
 - Friction hinge and screen footrest with rubber feet position the tablet at a comfortable viewing angle
 - Hard carry handle with two attachment rings for shoulder strap improve portability
 - Available in US English (7160-1585-00), UK (7160-1585-01), German (7160-1585-02), French (7160-1585-03), Spanish (7160-1585-04), 7160-11585-05 (French CA), and 7160-1585-06 (Thai)
 - 1-Year Limited Warranty

CERTIFICATES & TESTING:

- ROHS, REACH, FCC, CE, C-Tick, UKCA
- MIL-STD 810G Environmental: Humidity, High/Low Temperature (Operational/Storage)
- 30,000 Cycle Tested – Insertions and Hinge Mechanism
- Key Cycle Test – 2 Million Press Cycles
- Key Surface Chemical Resistance

GUARD LEG MOUNT WITH LOCKING SWING ARM MOUNT

7160-1841

The locking swing arm keeps your devices positioned where you want them, and the one-handed operation allows for easy adjustability.

- Mounting Versatility: Mount sandwiches the overhead guard leg and allows user to position the device at the desired height position.
- Locking Swing Arm locks devices in place and can be easily adjusted with one hand position.



CLAM SHELLS

Our Clam Shell line is Gamber-Johnson's staple product when it comes to extending the usability of technology into the mobile world of material handling. Easily attach any device, dock, cradle, or interface plate with the multiple hole patterns featured on the product. Our Clam Shells work to tailor to individual operator comfort and safety by providing a wide range of adjustments for optimal viewing of a device, improved visibility, and proximity to the operator.



7160-0357
Clam Shell with Small Backer Plate

7160-0370
Clam Shell with Large Backer Plate



7160-0366
Dual Clam Shell with Small Backer Plate

7160-0367
Dual Clam Shell with Large Backer Plate



7160-0420
Dual Clam Shell with Arm and Small Backer Plate

7160-0421
Dual Clam Shell with Arm and Large Backer Plate



7160-1505
Fixed Base, Clamshell with Articulating Arm and Large Plate



OVERHEAD GUARD LEG MOUNTS

Mount any device securely to forklift overhead guard legs. Gamber-Johnson Universal Mount attaches to all popular forklift guard legs.

CAB MOUNTS

Secure your valuable tablets and devices right in the cab of your material handling vehicle using one of our reliable OEM specific mounts. Perfectly suited to tailor your workspace to the most efficient, ergonomic, and secure configuration, all while protecting your valuable assets and lift vehicle operators.



7160-1151
Toyota Cab Latch Mount for Electronic Hydraulics



7160-1233
Toyota Cab Mount



7160-1096
Clamp Bracket Adapter



7160-1103
Linde E30 Latch Mounting Bracket



7160-1278
Yale Hyster 40/70 Cab Mount



7160-1109
Yale/Hyster Electric Bracket

HORIZONTAL EXTENSION

Increase your usable mounting space with our horizontal extension giving you more room to mount a total solution. Compatible with all Gamber-Johnson's roll formed and tube clamp brackets to ensure secure fitment to any overhead guard leg profile.



7160-0363
Horizontal Extension Bar

TUBE CLAMP MOUNTS

Expand your mounting location options by connecting your solution to multiple sizes of cylindrical poles, handles, or tubular style overhead guard legs. Adapt a Clam Shell product to finalize the total solution.



7160-0561
2", 2.5", 3" Diameter Tube Clamp



7160-1356-01
Zirkona 2" to 3" Pole Mount with VESA 75mm Mounting Plate

7160-1356
Zirkona 2" to 3" Pole Mount with AMPS/NEC Mounting Plate



7160-1367-01
Zirkona 3/4" to 1 7/8" Pole Mount with VESA 75mm Mounting Plate

7160-1367
Zirkona 3/4" to 1-7/8" Pole Mount with AMPS/NEC Mounting Plate

ROLL FORM BRACKETS

We have the ideal products for every mounting situation; including lift vehicles that have roll formed overhead guard legs. These brackets conform perfectly to various roll formed profiles ultimately creating a solid foundation to adapt our Clam Shell product line.

Pair with with **DUAL CLAM SHELL MOUNT (PG. 7)** to complete your solution



7160-0418
For Yale/Hyster, Crown, and others

7160-1542
For CLARK

7160-0814
For Jungheinrich / CAT / Toyota

7160-0815
For Linde Models EV-30 and EV40

Zirkona DIAMOND PLATE MOUNTS

When it comes to mounting lightweight devices turn to Gamber-Johnson's diamond plate mounts for a reliable solution. Multiple product offerings to interface your device with various hole patterns and ample adjustability to accommodate operator comfort and ease of use.



7160-1261
Zirkona 4" Diamond Plate with Large Joiner and AMPS/NEC Plate

7160-1261-01
Zirkona 4" Diamond Plate with Large Joiner and VESA 75mm Plate



7160-1466
Zirkona, 4" Diamond Plate with 6" Medium Dog-Bone and AMPs Plate

7160-1466-01
Zirkona, 4" Diamond Plate with 6" Medium Dog-Bone and VESA 75 mm Plate



G OVERHEAD GUARD MOUNTS


Increase your operator's forward visibility by tucking your device up and out of the way. Directly mount from the overhead guard using various ergonomic options that best fit a wide variety of operator needs and preferences.



ADJUSTABLE OVERHEAD GUARD BAR-TALL 7160-1591-01

Adjustable mount designed with extended height and the flexibility to attach to angled or vertical cross bars on a variety of OEM overhead guards. Positions and secures your device to maximize operator workspace, increase safety, and ergonomics.

- Positions device at the forward most point of the cross bar allowing for a secure and ergonomic position.
- Attaches to angled or vertical forward cross bars, from 0-90 degrees, allowing the mount to attach to a variety of OEM overhead guards.
- Vertical adjustability allows the end user to position the device to their specific need.



7160-1591
Tall Adjustable Overhead
Guard Bar-short



7160-1156
Short Overhead
Bar Mount



7160-1156-01
Tall Overhead
Bar Mount



7160-0856
Vertical Extension Bar



7160-0368
Overhead Guard Mount
with Single Clam Shell

POWER SUPPLIES, WIRING KITS & MOUNTS

Protect and power your valuable devices by pairing them with a clean, stable power source to guarantee functionality and longevity. Combine with a Gamber-Johnson Wiring Kit and Power Supply Mount for a professional look and quick installation.



LIND ISOLATED POWER SUPPLY FOR ZEBRA

*See website for full assortment

**ZEBRA ET4X, ET5X, ET6X, ET8X/
2.5MM CONNECTOR**

7300-0466: 12-32Vdc - 12Vdc OP
7300-0467: 20-60Vdc - 12Vdc OP
7300-0418: 72-110Vdc - 12Vdc OP

**ZEBRA/L10 DOCKING STATION/
2.5MM CONNECTOR**

7300-0457: 12-32VDC-19VDC OP
7300-0458: 20-60VDC-19VDC OP
7300-0346: 72-110VDC-19VDC OP

**ZEBRA HAND HELD/TC57, TC77,
TC8300/1.7MM CONNECTOR**

7300-0455: 12-32Vdc - 5Vdc OP
7300-0456: 20-60Vdc - 5Vdc OP
7300-0483: 72-110Vdc - 5Vdc OP

**ZEBRA HAND HELD/TC22/27
USB-C INPUT**

7300-0452: 12-32Vdc - 5Vdc OP
7300-0453: 20-60Vdc - 5Vdc OP
7300-0454: 72-110Vdc - 5Vdc OP



7300-0482
Wiring Kit



7160-1333
Power Supply Clamp

KEYBOARD MOUNTS

Configure your keyboard for ultimate ease of use and the fastest possible access with our large selection of Keyboard Mounts. With an ergonomic angle that meets user needs, working on the keyboard in the field can be more streamlined and reliable than ever before.



7160-0799
Tablet Keyboard Mount
7160-0799-01
Tablet Keyboard Mount - Tall Backplate



7160-1257
Vertical Tablet Keyboard Mount
7160-1257-01
Vertical Tablet Keyboard Mount - Tall Backplate



7160-0859
Number Pad Bracket



7170-0817-01
Rugged Lite Backlit Keyboard and Quick Release Keyboard Cradle



7160-1449-00
Rugged Lite Keyboard



iKey Rugged Keyboard
*See website for full assortment

G PERIPHERAL MOUNTS

HANDHELD SCANNER MOUNTS

Safeguard handheld scanners from accidental drops and catastrophic damage by housing your device with the right mount to fit your operation's needs.



7160-1306
Scanner Pocket Mount with Small Back Plate



7160-1389
Scanner Pocket Tablet Mount



7170-0788
Zirkona 4" Diamond Mount w/Scanner Pocket



7160-1380
Pistol Grip Scanner Bracket

7170-0764
Zirkona, Pistol Grip Scanner Mount

ZEBRA DS3678 SCANNER CRADLE MOUNTS

7170-1049
Zebra DS3678 Scanner Cradle 2" - 3" Round Tube Mount Kit

7170-1048
Zebra DS3678 Scanner Cradle Rectangular Guard Leg Mount Kit

7170-1050
Zebra DS3678 Scanner Cradle Pivoting Mount Kit



7160-1259
Flat Surface Magnet Mount with Scanner Holder

HONEYWELL GRANIT CRADLE MOUNTS

7170-1047
Honeywell Granit Cradle 2" - 3" Round Tube Mount Kit

7170-1051
Honeywell Granit Cradle Pivoting Mount Kit

7170-1014
Honeywell Granit Cradle Rectangular Guard Leg Mount Kit

SAFETY LIGHT MOUNTS

Mount safety lights to present a visual alert to help increase warehouse safety, minimize the risk of accidents, and improve visible awareness of approaching lift vehicles.



7160-0610
Single Light Bracket



7160-1719
Forklift Light Mount

PRINTER MOUNTS

Continue to expand from a desk to a mobile work environment by creating a secure and accessible way to mount rugged mobile printers.



7160-0817
Zebra ZQ630/QLN420 Printer Bracket



7160-1473
Zebra ZQ620 Printer Bracket



7160-1821
Honeywell RP2 Printer Mount



7160-1816
Honeywell RP4 Printer Mount



7160-1693
ZEBRA ZD620D, ZD620T, ZD621D, and ZD621T, 75MM HP Printer Mount



7160-1053
Zebra ZQ500 Printer Mount

PROTECTIVE COVERS

Encase your device with Gamber-Johnson's patented selection of thermal and non-thermal protective covers. Designed to keep your device safe from the harsh elements in unforgiving work environments that could prematurely destroy your assets.



7160-0949 8" Protective Cover
7160-0950 10" Protective Cover
7160-0981 8" Thermal Protective Cover
7160-0982 10" Thermal Protective Cover



Explore our full assortment of material handling mounts at GAMBERJOHNSON.COM



READY TO MAKE A PURCHASE?

Find a dealer in your area:
gamberjohnson.com/FindAReseller

HAVE ADDITIONAL QUESTIONS?

Contact our experts:
sales@gamberjohnson.com



WWW.GAMBERJOHNSON.COM

5001 Joerns Drive, Stevens Point, WI 54481, U.S.A.
800.487.9220 | sales@gamberjohnson.com